



IBM Terms of Use – SaaS Specific Offering Terms

IBM Kenexa Talent Acquisition

The Terms of Use (“ToU”) is composed of this IBM Terms of Use - SaaS Specific Offering Terms (“SaaS Specific Offering Terms”) and a document entitled IBM Terms of Use - General Terms (“General Terms”) available at the following URL: www.ibm.com/software/sla/sladb.nsf/sla/tou-gen-terms/. In the event of a conflict, the SaaS Specific Offering Terms prevail over the General Terms. By ordering, accessing or using the IBM SaaS, Client agrees to the ToU.

1. IBM SaaS

The following IBM SaaS offerings are covered by these SaaS Specific Offering Terms:

- IBM Kenexa Talent Acquisition BrassRing Onboard
- IBM Kenexa Talent Acquisition BrassRing
- IBM Kenexa Brassring on Cloud
- IBM Kenexa BrassRing Additional Language
- IBM Kenexa Lead Manager
- IBM Kenexa Client Success Services
- IBM Kenexa BrassRing Event Manager
- IBM Kenexa BrassRing Agency
- IBM Kenexa BrassRing Business Analytics
- IBM Kenexa BrassRing RapidHire
- IBM Kenexa BrassRing Custom Approval Workflow
- IBM Kenexa BrassRing Basic Talent Gateway
- IBM Kenexa BrassRing Local Talent Gateway
- IBM Kenexa BrassRing Global Talent Gateway
- IBM Kenexa BrassRing Talent Gateway Additional Language
- IBM Kenexa BrassRing Form
- IBM Kenexa BrassRing Community Gateway
- IBM Kenexa BrassRing Talent Gateway Questionnaire
- IBM Kenexa BrassRing Migrate Form to Enhanced Layout
- IBM Kenexa BrassRing SMS Messaging
- IBM Kenexa BrassRing Background Check
- IBM Kenexa BrassRing Job Posting Aggregator
- IBM Kenexa BrassRing Additional Agency
- IBM Kenexa BrassRing Video Interviewing
- IBM Kenexa BrassRing Work Opportunity Tax Credit
- IBM Kenexa BrassRing on Cloud API Foundation Data Import
- IBM Kenexa BrassRing on Cloud API User (Recruiter/HM) Data Import
- IBM Kenexa BrassRing on Cloud API Job Code Default Data Import
- IBM Kenexa BrassRing on Cloud API Requisition Field Association Data Import
- IBM Kenexa BrassRing on Cloud API New Hire Candidate Data Export
- IBM Kenexa BrassRing on Cloud API Requisition Import
- IBM Kenexa BrassRing on Cloud API Candidate Import
- IBM Kenexa BrassRing on Cloud API Rehire Eligibility Check
- IBM Kenexa BrassRing on Cloud API Talent Gateway Employee Profile Import

- IBM Kenexa BrassRing on Cloud API Background Check/Assessment Vendor Custom Integration
- IBM Kenexa BrassRing on Cloud Premium Foundation Data Import
- IBM Kenexa BrassRing on Cloud Premium User Data (Recruiter/Manager) Import
- IBM Kenexa BrassRing on Cloud Premium Job Code Default Data Import
- IBM Kenexa BrassRing on Cloud Premium Requisition Field Association Data Import
- IBM Kenexa BrassRing on Cloud Premium New Hire Candidate Data Export
- IBM Kenexa BrassRing on Cloud Premium Requisition Import
- IBM Kenexa BrassRing on Cloud Premium Candidate Import
- IBM Kenexa BrassRing on Cloud Premium Rehire Eligibility Check
- IBM Kenexa BrassRing on Cloud Premium Talent Gateway Employee Profile Import
- IBM Kenexa BrassRing on Cloud Premium Background Check/Assessment Vendor Custom Integration
- IBM Kenexa BrassRing on Cloud Premium BrassRing and Workday Integration
- IBM Kenexa BrassRing on Cloud SAML 2.0 Single Sign On
- IBM Kenexa BrassRing on Cloud RSA Encrypted Payload Web Service Single Sign On
- IBM Kenexa BrassRing on Cloud Export feed into Customer Data Warehouse
- IBM Kenexa BrassRing on Cloud Data Migration
- IBM Kenexa BrassRing on Cloud Deactivation - Export of Candidate Text Resumes
- IBM Kenexa BrassRing on Cloud Deactivation - Access Database Export
- IBM Kenexa BrassRing on Cloud Hiring Manager Simulation Training Package
- IBM Kenexa BrassRing on Cloud Recruiter Simulation Training Package
- IBM Kenexa BrassRing on Cloud Custom Simulation
- IBM Kenexa BrassRing on Cloud Administrator Tools for Super Users Instructor-led Webinar
- IBM Kenexa BrassRing on Cloud Custom 2-hour Instructor-led Webinar
- IBM Kenexa BrassRing on Cloud New User Fundamentals Instructor-led Webinar

2. Charge Metrics

The IBM SaaS is sold under the following charge metric as specified in the Transaction Document:

- a. Access is a unit of measure by which the IBM SaaS may be obtained. An Access is the rights to use the IBM SaaS. Client must obtain a single Access entitlement in order to use the IBM SaaS during the measurement period specified in Client's Proof of Entitlement (PoE) or Transaction Document.
- b. Employee is a unit of measure by which the IBM SaaS can be obtained. An Employee is a unique person employed in or otherwise paid by or acting on behalf of Client's Enterprise, whether or not given access to the IBM SaaS. Sufficient entitlements must be obtained to cover the number of Employees during the measurement period specified in Client's Proof of Entitlement (PoE) or Transaction Document.
- c. Engagement is a unit of measure by which the IBM SaaS can be obtained. An Engagement consists of professional and/or training services related to the IBM SaaS. Sufficient entitlements must be obtained to cover each Engagement.
- d. Instance is a unit of measure by which the IBM SaaS can be obtained. An Instance is access to a specific configuration of the IBM SaaS. Sufficient entitlements must be obtained for each Instance of the IBM SaaS made available to access and use during the measurement period specified in Client's Proof of Entitlement (PoE) or Transaction Document.

3. Charges and Billing

The amount payable for the IBM SaaS is specified in a Transaction Document.

3.1 Partial Month Charges

A partial month charge as specified in the Transaction Document may be assessed on a pro-rated basis.

3.2 Set-Up

Set-up charges will be specified in a Transaction Document.

3.3 On-Demand

On-Demand options will be invoiced in the month the on-demand option is ordered by Client at the rate set forth in the Transaction Document.

4. IBM SaaS Subscription Period Renewal Options

Client's PoE will set forth whether the IBM SaaS will renew at the end of the Subscription Period, by designating one of the following:

4.1 Automatic Renewal

If Client's PoE states that Client's renewal is automatic, Client may terminate the expiring IBM SaaS Subscription Period by written request to Client's IBM sales representative or IBM Business Partner, at least ninety (90) days prior to the expiration date as set forth in the PoE. If IBM or its IBM Business Partner does not receive such termination notice by the expiration date, the expiring Subscription Period will be automatically renewed for either one year or the same duration as the original Subscription Period as set forth in the PoE.

4.2 Continuous Billing

When the PoE states that Client's renewal is continuous, Client will continue to have access to the IBM SaaS and will be billed for the usage of the IBM SaaS on a continuous basis. To discontinue use of the IBM SaaS and stop the continuous billing process, Client will need to provide IBM or its IBM Business Partner with ninety (90) days written notice requesting that Client's IBM SaaS be cancelled. Upon cancellation of Client's access, Client will be billed for any outstanding access charges through the month in which the cancellation took effect.

4.3 Renewal Required

When the PoE states that Client's renewal type is "terminate", the IBM SaaS will terminate at the end of the Subscription Period and Client's access to the IBM SaaS will be removed. To continue to use the IBM SaaS beyond the end date, Client will need to place an order with Client's IBM sales representative or IBM Business Partner to purchase a new Subscription Period.

5. Technical Support and Maintenance

Baseline customer support is provided with the IBM SaaS offering and Enabling Software, as applicable, during the subscription term. The technical and customer support available is detailed at:

<http://www.ibm.com/software/support/kenexa/suite.html>

Severity Levels, descriptions and response time objectives are described in the chart below:

Severity	Severity Definition	Response Time Objectives During Support Hours
1	Critical business impact/service down: Business critical functionality is inoperable or critical interface has failed. Typically involves an outage in the production environment that critically impacts Client operations. This condition requires an immediate solution.	Within 1 hour
2	Significant business impact: A service feature or function is severely restricted in its use or Client is in jeopardy of missing critical business deadlines.	Within 2 hours
3	Minor business impact: Indicates the service or functionality is usable and it is not presenting a critical impact on operations.	Within 1 Business Day
4	Minimal business impact: An inquiry or non-technical request.	Within 2 business Days

5.1 Backups

The primary purpose of information backup is to help IBM provide Client with timely data recovery should the IBM SaaS be rendered inoperative due to hardware or environmental impacts. IBM's formal information backup procedures include daily differential or incremental backups, weekly full backups, and monthly full backups. Backups are rotated off-site as part of the disaster recovery plan.

5.2 Non-Reproducible Errors

If IBM cannot reproduce a Client-reported error, the error will be addressed at a Severity Level one level below that for which it would qualify as reported under the above Levels if the error was reproducible. IBM will work with Client to reproduce the error and if successful, will assign the appropriate Severity Level.

6. IBM SaaS Offering Additional Terms

6.1 Safe Harbor Certification

IBM abides by the U.S. - EU Safe Harbor Framework as set forth by the United States Department of Commerce regarding the collection, use and retention of information collected from the European Union. For more information about Safe Harbor or to access IBM's certification statement, go to <http://www.export.gov/safeharbor/>.

6.2 Normative Data

Notwithstanding anything to the contrary, for normative research, analyses and reporting purposes only, IBM may retain and use the Client content provided to IBM under this TOU in aggregated, anonymous format (i.e., so that Client cannot be identified as the source of the confidential information and so that personally identifiable information allowing the identification of individual employees and/or applicants is removed). The provisions of this section will survive the termination or expiration of the transaction.

6.3 Return or Removal of Client Data

Upon Client's written request following termination or expiry of either the ToU or the Agreement, IBM, subject to its backup and retention policies, will delete or return to Client all Personal Data made available to the IBM SaaS.

6.4 Data Collection

Client agrees that IBM may use cookies and tracking technologies to collect personally identifiable information in gathering usage statistics and information designed to help improve user experience and/or to tailor interactions with users in accordance with <http://www-01.ibm.com/software/info/product-privacy/index.html>. Where required by applicable law, Client has notified the users and obtained their consent to do all of the above.

6.5 Guest Use

A Guest User is an IBM SaaS User that is authorized by Client to access IBM SaaS to exchange data with Client or to use IBM SaaS on behalf of Client. Client's Guest Users may be required to execute an online agreement provided by IBM in order to access and use the IBM SaaS. Client is responsible for these Guest Users, including but not limited to a) any claims made by the Guest Users relating to the IBM SaaS or b) any misuses of the IBM SaaS by these Guest Users.

6.6 Prohibited Uses

The following uses are prohibited by Microsoft:

No High Risk Use: Client may not use the IBM SaaS in any application or situation where the IBM SaaS failure could lead to death or serious bodily injury of any person or lead to severe physical or environmental damage ("High Risk Use").

Examples of High Risk Use include, but are not limited to: Aircraft or other modes of human mass transportation, nuclear or chemical facilities, life support systems, implantable medical equipment, motor vehicles, or weaponry systems. High Risk Use does not include utilization of IBM SaaS for administrative purposes, to store configuration data, engineering and/or configuration tools, or other non-control applications, the failure of which would not result in death, personal injury, or severe physical or environmental damage. These non-controlling applications may communicate with the applications that perform the control, but must not be directly or indirectly responsible for the control function.

6.7 IBM SaaS User Profile Information

In connection with Client's use of the IBM SaaS, Client acknowledges and agrees that: (i) IBM SaaS User names, titles, company names and photographs may be posted by an IBM SaaS User as part of a profile ("Profile") and that the Profile can be viewed by other IBM SaaS Users, and (ii) at any time Client may request that an IBM SaaS User Profile be corrected or removed from the IBM SaaS and such Profile will be corrected or removed, but removal may prevent access to the IBM SaaS.

6.8 Data Processing

For transactions performed in all EU Member States, Iceland, Liechtenstein, Norway and Switzerland, the following terms apply:

Client agrees that IBM may process Content including any Personal Data across a country border to the following countries: England, India, Ireland, and the USA.

Depending on Client's specific service support structure, Client also agrees that IBM may process Content including any Personal Data across a country border to these additional following countries: Australia, Brazil, Canada, China, France, Finland, Germany, Hong Kong, Japan, New Zealand, Latin America, Mexico, Netherlands, Poland, Singapore, Spain, South Africa, Sweden, and Switzerland.

Client agrees that IBM may, on notice, vary this list of country locations when it reasonably determines it necessary for the provision of the IBM SaaS.

When IBM's US-EU and US-Swiss Safe Harbor Frameworks do not apply to a transfer of EEA or Swiss Personal Data, the parties or their relevant affiliates may enter into separate standard unmodified EU Model Clause agreements in their corresponding roles pursuant to EC Decision 2010/87/EU with optional clauses removed. All disputes or liability arising under these agreements, even if entered into by affiliates, will be treated by the parties as if the dispute or liability arose between them under the terms of this Agreement.

6.9 Derived Benefit Locations

Where applicable, taxes are based upon the location(s) Client identifies as receiving benefit of the IBM SaaS. IBM will apply taxes based upon the business address listed when ordering an IBM SaaS as the primary benefit location unless Client provides additional information to IBM. Client is responsible for keeping such information current and providing any changes to IBM.

Appendix A

1. IBM Kenexa BrassRing on Cloud

The IBM Kenexa Talent BrassRing on Cloud SaaS offering is made up of the following components:

a. IBM Kenexa BrassRing on Cloud

IBM Kenexa BrassRing on Cloud is a scalable, online tool that helps employers and recruiters centralize and manage the Talent Acquisition process across multiple company divisions or locations. Base offering features include:

- Creating and posting job requisitions
- Sourcing
- Talent Gateways for candidates to search jobs and submit interest
- Tracking applications and work flow
- Screening candidates
- Approval levels to facilitate the selection processes
- Standard and ad-hoc reporting capabilities
- Social media interfaces and mobile technology

b. The IBM Kenexa BrassRing on Cloud will be provided in both a staging and production environments. The staging environment will be provided through the life of the contract for testing purposes.

c. The IBM Kenexa BrassRing on Cloud Onboard can be branded to Client's company logo and colors.

2. IBM Kenexa Talent Acquisition BrassRing Onboard

The IBM Kenexa Talent Acquisition BrassRing Onboard SaaS offering is made up of the following components:

a. IBM Kenexa BrassRing on Cloud

IBM Kenexa BrassRing on Cloud is a scalable, online tool that helps employers and recruiters centralize and manage the Talent Acquisition process across multiple company divisions or locations. Base offering features include:

- Creating and posting job requisitions
- Sourcing
- Talent Gateways for candidates to search jobs and submit interest
- Tracking applications and work flow
- Screening candidates
- Approval levels to facilitate the selection processes
- Standard and ad-hoc reporting capabilities
- Social media interfaces and mobile technology

b. IBM Kenexa Onboard on Cloud

IBM Kenexa Onboard on Cloud is a platform featuring forms management that helps drive efficiency in Client's organization by standardizing and automating the onboarding process. The base offering includes access to Onboard by New Hires (via a New Hire Portal) and access for the hiring manager, recruiter and/or HR specialist.

Onboard base offering also provides the ability to:

- collect data to populate government forms as well as company-specific forms.
- generate notifications to outside systems (such as Human Resource Information Systems).

- process a new hire in the U.S. through E-Verify.
- c. The IBM Kenexa Talent Acquisition BrassRing Onboard will be provided in both a staging and production environments. The staging environment will be provided through the life of the contract for testing purposes.
- d. The IBM Kenexa Talent Acquisition BrassRing Onboard can be branded to Client's company logo and colors.

3. Optional Components for IBM Kenexa BrassRing on Cloud

3.1 One-Time Set Up

3.1.1 BrassRing General Business Instance One-Time Set Up

This IBM Kenexa BrassRing implementation solution is designed to be implemented within a 12-week timeline.

The completion of these implementation services within the allotted time frame depends upon the full commitment and participation of Client's management and personnel. Client will provide the required information in a timely fashion. IBM's performance is predicated upon Client's timely information and decisions and any delays may result in additional cost and/or delay of the completion of these implementation services.

Client must select from a predefined scope below. Client can elect to activate, deactivate, or edit the provided options.

- a. Three (3) standard requisition templates (Professional, Hourly, Contract) with up to three (3) approval levels;
- b. Six (6) Talent Gateways:
 - External
 - Internal
 - Employee Referral
 - Campus
 - Basic Talent Gateway (Add Candidate)
 - Basic Talent Gateway (Add Contact)
- c. One (1) Candidate portal for accepting job offers;
- d. Data Collection Candidate forms (21):
 - Application Form
 - Candidate Feedback Form
 - Disposition Form
 - Hire Form
 - Interview Form
 - Assessment
 - Assessment Overall Result
 - Offer Form
 - Phone Screen Form
 - Talent-Gateway
 - US EEO Form
 - Employee Referral Form
 - Background Check Results
 - WOTC Results
 - Drug Screen Results
 - Rehire Eligibility Results
 - Offer Response Form

- Background Consent Form
 - Drug Screen Form
 - Reference Check Form
 - Reference Completion Form
- e. Six (6) standard Communication Templates:
- Expression of Interest
 - Not Interested
 - Office Interview Confirmation
 - Position Cancelled
 - Position Filled
 - Position on Hold
- f. Tracking logic to support one (1) Candidate Workflows to include:
- Application submitted
 - Review
 - In Process
 - Phone Screen
 - HM Review
 - Interview
 - Additional Interview
 - Assessment
 - Background Check
 - Offer Extended
 - Offer Accepted
 - Hired
 - Candidate Not Interested
 - Company Not Interested
- g. Five (5) standard Privileges and User Types:
- HR Coordinator
 - Hiring Manager
 - QuickStart
 - Recruiter
 - System Admin (“Super User”)
- h. Two uploads of the following items provided by Client during implementation timeline:
- Requisition Job Codes
 - Options used in list fields on Requisitions or Data Collection Forms
 - Source Codes
- i. Standard pre-built reports, Data Insight Tool for ad-hoc reports and standard pre-built Metrics Panels;
- j. Social Media interfaces activated (Facebook; Linked In; and/or Twitter);
- k. Standard configuration of Agency Manager;
- l. Inbound XML file posted with Client’s Human Resource Integration System (HRIS) for Foundation Data, User Data and/or Job Code Default Data;
- m. One (1) outbound file posted to SFTP site of New Hire Data;
- n. Interface set up with one (1) Job Posting partner that Client selects from the following list of approved partners*:

- Kenexa Job Distributor
 - TMP (TalentBrew)
 - Bernard Hodes (Smart Post)
 - First Advantage
 - Broad Bean
 - eQuest
 - Direct Employers
- o. Interface set up with one (1) Employment Screening partner that Client selects from the following list of approved partners*:
- TalentWise
 - First Advantage
 - PreCheck
 - Asurint
 - Lexis/Nexis
 - Sterling
 - HireRight
 - Accurate
- p. Unlimited access to the following training materials located on the User Resource Center (URC) for three months from the date the Staging Environment is made available to Client:
- recorded New User Fundamentals course
 - recorded Administrator Tools course
 - One (1) Standard Quick Reference Guide for Recruiters provided in editable format
 - One (1) Standard Quick Reference Guide for Hiring Managers provided in editable format
 - One (1) Standard Quick Reference Guide for Administrators provided in editable format
- q. WorkBench Tool for post go-live self-configuration (*A separate SOW is required for activation of the WorkBench Tool, associated training and certification*);
- r. Standard interface with IBM Kenexa Assess assessment delivery platform (requires a separate purchase of IBM Kenexa Skills Assessments and/or IBM Kenexa Behavioral Assessments);
- s. Standard configuration of General Settings, Security, and Access.

***Note:** If Client activates this feature, Client is responsible for all contractual obligations between Client and the selected third-party partner. At or prior to implementation, Client must provide IBM with the name of the selected partner, contact information and the account number. IBM has no responsibility for any third-party partners IBM does not manage. Client's failure to contract with selected partner or to provide IBM with required information may result in delays and/or additional charges and fees

3.2 Optional Orderable Features (available after initial implementation services)

3.2.1 IBM Kenexa BrassRing Additional Language

IBM Kenexa BrassRing is provided in English. This feature provides an additional recruiter interface language for capabilities beyond the one language provided.

3.2.2 IBM Kenexa Lead Manager

IBM Kenexa Lead Manager compliments the Talent Acquisition Suite Brassring or Brassring Onboard products by enabling recruiters to proactively find, attract, engage and nurture top talent to build lasting candidate relationships and robust pipelines.

IBM Kenexa Lead Manager on Cloud can help Client deliver unparalleled solutions for the next generation of talent acquisition.

The recruiter can build an extensive lead pool for requisition by searching internal and external data sources to help:

- Easily communicate with leads whether ad-hoc or large groups.

- Understand the effectiveness of the communication to leads.
- See important updates of the day, for example, lead and campaign updates, reminders, and metrics.

Leads or candidates can engage with organizations through dynamic landing pages and communities to help:

- Get informed and excited about the company, brand, and opportunities that are available.
- Sign up to receive emails and short message service (sms) notifications regarding events and jobs that match their criteria.
- Update their profiles and preferences or opt out of future communications.

Human resource administration can help Client create customer branded landing pages, and automated email templates and workflows to help Client:

- Configure the system for Client's users, with little to no training, to ensure up-to-the-minute responsiveness to Client's organization.
- Provide reports to executives.

3.2.3 IBM Kenexa BrassRing Event Manager

Event Manager helps recruiters with creation and automation of the scheduling process for complex recruiting events, including candidate self-scheduling, preparing event rosters and event summary data, and rapid feedback processing for high volume recruiting events.

3.2.4 IBM Kenexa BrassRing Agency

Agency allows Client to manage agency recruiters' access to and use of BrassRing on Cloud. With Agency Manager, Client can track and manage details about each agency including vendor fees, performance, referral rights, notes and communications, contracts, and candidate statuses.

3.2.5 IBM Kenexa BrassRing Business Analytics

Business Analytics reports analytics across Client's organization using business intelligence tools, with the ability to drill down to see detailed views of data and export the information as needed. Business analytics allows Client to work with data, collecting key operational insights and creating dashboards of relevant metrics. Business Analytics can include dashboards tailored to Client needs, allowing insight into Client's unique industry hiring practices.

3.2.6 IBM Kenexa BrassRing RapidHire

RapidHire is a user interface designed for hiring managers in the high-volume hourly hiring space. The RapidHire interface, which is geared toward high-volume hiring, complements BrassRing's traditional recruiter and hiring manager interfaces, which are geared toward corporate and salaried roles. RapidHire offers functionality optimized for a tablet or PC.

3.2.7 IBM Kenexa BrassRing Custom Approval Workflow

Custom Approval Workflow enables pre-determined rules to automatically establish the approval chain appropriate for each requisition or form. Rule mapping drives the approval process for each requisition or form to be routed. Custom Approval Workflow uses hierarchical organization structure stored within whatever external system Client uses to keep organizational reporting relationships current. It may adjust automatically to organizational changes based on updates Client send in the XML user feed.

3.2.8 IBM Kenexa BrassRing Basic Talent Gateway

Basic Talent Gateway allows backend Client users to add a Candidate or add a Contact.

3.2.9 IBM Kenexa BrassRing Local Talent Gateway

Local Talent Gateway provides configuration for a specific language selected by Client.

3.2.10 IBM Kenexa BrassRing Global Talent Gateway

Global Talent Gateway allows a Client to present a single portal to job openings across multiple languages and regions. Client can configure the Global Gateway site so that applicants can choose their language, or the Global Gateway can recognize the user's preferred browser language and present the site accordingly.

3.2.11 IBM Kenexa BrassRing Talent Gateway Additional Language

Talent Gateway is provided in English. This feature provides an additional language pack for capabilities beyond the one language provided.

3.2.12 IBM Kenexa BrassRing Form

Form is a document to track and collect additional information from or about the candidate that is not already gathered on the Candidate's Talent Record or Requisition such as contact information, employment, education data, interview evaluation, or offer details.

Forms can be used in conjunction with the Talent Gateway application process for candidates and/or be presented to recruiters for completion at specific steps during the recruiting process. Forms can also be created or updated via Rules Automation Manager RAM triggers.

3.2.13 IBM Kenexa BrassRing Community Gateway

Community Gateway is a gateway configured to provide a creative, collaborative and interactive "Communication Community" for recruiters and candidates with four separate module options. The four module tools available with Community Gateway are as follows:

- Source
- Post
- Contacts
- Really Simple Syndication (RSS)

3.2.14 IBM Kenexa BrassRing Talent Gateway Questionnaire

Talent Gateway Questionnaires (GQs) are online applications that support question branching and knockout questions. They can be gateway-specific or job-specific (allowing jobs to have their own custom workflows), and let candidates apply to a position without needing to create a Talent Gateway profile or login. GQs can also include additional steps like assessment, pre-screening, background check data collection, EEO data collection, and work opportunity tax credit management.

3.2.15 IBM Kenexa BrassRing Migrate Form to Enhanced Layout

Migrate Form to Enhanced Layout provides the ability to adjust the formatting of existing forms layout to include columns and/or branching questions based on responses.

3.2.16 IBM Kenexa BrassRing Additional Agency

Additional Agency provides an additional instance of Agency.

3.2.17 IBM Kenexa BrassRing API Foundation Data Import

API Foundation Data Import provides one (1) import feed of Foundation Data from one (1) HRIS system to BrassRing, which allows Client's foundation data to be loaded into BrassRing. Foundation data is data that is present on the BrassRing system on a Requisition form or a Candidate form as a custom drop-down options list. Foundation data is sometimes referred to as form fields, and often appears in the form of tables in a Client's HRIS system.

This integration requires:

- This integration must include the mandatory fields outlined in the document "IBM Common Integration Fields" in the section "Customer HRIS to BrassRing".
- The specific data fields integrated shall be from the set of mandatory and other fields outlined in the document "IBM Common Integration Fields" in the section "Customer HRIS to BrassRing".
- The integration must utilize XML, IBM's application programming interface "API" as outlined in the technical specification document.
- API requires the XML data to be sent to IBM via a IBM provided Webservice or HTTP POST URL
- On an ongoing basis, incremental data must be provided, there is no support for full, destructive loads
- The integration will map up to 10 fields.

3.2.18 IBM Kenexa BrassRing API User (Recruiter/HM) Data Import

API User (Recruiter/HM) Data Import provides one (1) import feed of User (Recruiter/HM) Data from one (1) HRIS system to BrassRing, which allows Client's user data to be loaded into BrassRing.

Users in BrassRing are primarily the Recruiters and Hiring Managers of the application. These are the individuals that log onto BrassRing and manage/move the candidates through the recruitment process.

This integration requires:

- This integration must include the mandatory fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- The specific data fields integrated shall be from the set of mandatory and other fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- The integration must utilize XML, IBM’s application programming interface “API” as outlined in the technical specification document.
- API requires the XML data to be sent to IBM via an IBM provided Webservice or HTTP POST URL
- On an ongoing basis, incremental data must be provided, there is no support for full, destructive loads.

3.2.19 IBM Kenexa BrassRing API Job Code Default Data Import

API Job Code Default Data Import provides one (1) import feed of Job Code Default Data from one (1) HRIS system to BrassRing, which allows Client’s Job Code Default data to be loaded into BrassRing.

Job Code Default Data (JCDD) functionality allows Client to associate a set of default values to a Job Code. This is especially useful when Requisitions (jobs) are created in the system where a Recruiter/Hiring Manager chooses a Job code and all pre-determined fields in the Requisition get auto-populated based on the code selected.

This integration requires:

- This integration must include the mandatory fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- The specific data fields integrated shall be from the set of mandatory and other fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- The integration must utilize XML, IBM’s application programming interface “API” as outlined in the technical specification document.
- API requires the XML data to be sent to IBM via an IBM provided Webservice or HTTP POST URL
- On an ongoing basis, incremental data must be provided, there is no support for full, destructive loads
- The integration will map up to 25 fields on 1 Requisition Template.

3.2.20 IBM Kenexa BrassRing API Requisition Field Association Data Import

API Requisition Field Association Data Import provides one (1) import feed of Requisition Field Association Data from one (1) HRIS system to BrassRing, which allows Client’s Requisition Field Association data to be loaded into BrassRing.

Requisition Field association allows the selection of an option in a parent field to determine the options that are available in one or more subsequent child fields on a requisition form.

This integration requires:

- The integration must utilize XML, IBM’s application programming interface “API” as outlined in the technical specification document.
- API requires the XML data to be sent to IBM via an IBM provided Webservice or HTTP POST URL
- On an ongoing basis, incremental data must be provided, there is no support for full, destructive loads
- The integration will map up to 3 parents with 10 children per parent.

3.2.21 IBM Kenexa BrassRing API New Hire Candidate Data Export

API New Hire Candidate Data Export provides one (1) export feed of New Hire Candidate Data from BrassRing to one (1) HRIS System, which allows Candidate data that applies to a candidate such as name, address, etc. and any information that resides on a candidate form in the BrassRing system to be exported to Client’s HRIS system.

This integration requires:

- This integration must include the mandatory fields outlined in the document “IBM Common Integration Fields” in the section “BrassRing system to HRIS”
- The specific data fields integrated shall be from the set of mandatory and other fields outlined in the document “IBM Common Integration Fields” in the section “BrassRing system to HRIS”.
- The integration must utilize XML, IBM’s application programming interface “API” as outlined in the technical specification document.
- API requires the XML data to be received by Client via a Client provided Webservice or HTTP POST URL
- On an ongoing basis, incremental data must be provided, there is no support for full, destructive loads
- The integration will map up to 50 fields.

3.2.22 IBM Kenexa BrassRing API Requisition Import

API Requisition Import provides one (1) import feed of Requisition Data from one (1) HRIS system to BrassRing, which allows Requisition data to be imported into BrassRing from an external system.

Requisition data is any information that is in a Job Requisition such as the Job description, Job number, Department.

This integration requires:

- This integration must include the mandatory fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- The specific data fields integrated shall be from the set of mandatory and other fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- The integration must utilize XML, IBM’s application programming interface “API” as outlined in the technical specification document.
- API requires the XML data to be sent to IBM via an IBM provided Webservice or HTTP POST URL
- On an ongoing basis, incremental data must be provided, there is no support for full, destructive loads
- The integration will map up to 50 fields on 1 requisition template.

3.2.23 IBM Kenexa BrassRing API Candidate Import

API Candidate Import provides one (1) import feed of Candidate Data from one (1) HRIS system to BrassRing, which allows Candidate data to be imported into BrassRing from an external system.

Candidate information is any data that applies to a candidate, such as name, address, previous employers, education, skills, or status that is maintained in a Client’s HRIS or on a BrassRing candidate form.

This integration requires:

- This integration must utilize XML, IBM’s application programming interface “API” as outlined in the technical specification document.
- API requires the XML data to be sent to IBM via an IBM provided Webservice or HTTP POST URL
- On an ongoing basis, incremental data must be provided, there is no support for full, destructive loads.
- The integration will map up to 50 fields.

3.2.24 IBM Kenexa BrassRing API Rehire Eligibility Check

API Rehire Eligibility Check provides, one (1) export feed of Candidate Data from BrassRing to one (1) HRIS system, which allows Candidate data that applies to a candidate such as name, address, etc. and any information that resides on a candidate form in the BrassRing system to be exported to Client’s HRIS system.

This integration requires:

- This integration must utilize XML, IBM’s application programming interface “API” as outlined in the technical specification document.
- API requires the XML data to be sent to the Client via Client provided HTTP POST URL

- Mechanism of the export is real-time when a candidate is moved to a Client specified pre-determined Triggering HR Status in BrassRing.
- Data related to Candidate and Requisition can be exported.

API Rehire Eligibility Check also provides, one (1) import feed of Form data for results from one (1) HRIS system to BrassRing, which allows Candidate form data to be imported into BrassRing from an external system.

This integration requires:

- This integration must utilize XML, IBM's application programming interface "API" as outlined in the technical specification document.
- API requires the XML data to be sent to IBM via an IBM provided Webservice or HTTP POST URL
- The results will be captured on a BrassRing Candidate form.

3.2.25 IBM Kenexa BrassRing API Talent Gateway Employee Profile Import

API Talent Gateway Employee Profile Import provides one (1) import feed of Employee Profile Data from one (1) HRIS system to BrassRing, which pre-populate employee information on BrassRing Internal and/or Referral Talent Gateways.

This integration requires:

- This integration must utilize XML, IBM's application programming interface "API" as outlined in the technical specification document.
- API requires the XML data to be sent to IBM via an IBM provided Webservice.
- On an ongoing basis, incremental data must be provided, there is no support for full, destructive loads.

3.2.26 IBM Kenexa BrassRing API Background Check/Assessment Vendor Custom Integration

API Background Check/Assessment Vendor Custom Integration provides one (1) export feed of Candidate Data from BrassRing to one (1) Vendor system, which allows Candidate data that applies to a candidate such as name, address, etc. and any information that resides on a candidate form in the BrassRing system to vendor system.

This integration requires:

- This integration must utilize XML, IBM's application programming interface "API" as outlined in the technical specification document.
- API requires the XML data to be sent to the Client via Client provided HTTP POST URL
- Mechanism of the export is real-time when a candidate is moved to a Client specified pre-determined Triggering HR Status in BrassRing.
- Data related to Candidate and Requisition can be exported.

API Background Check/Assessment Vendor Custom Integration also provides one (1) import feed of Form data for results from one (1) Vendor system to BrassRing, which allows Candidate form data to be imported into BrassRing from a vendor system.

This integration requires:

- This integration must utilize XML, IBM's application programming interface "API" as outlined in the technical specification document.
- API requires the XML data to be sent to IBM via an IBM provided Webservice or HTTP POST URL
- The results will be captured on a BrassRing Candidate form.

3.2.27 IBM Kenexa BrassRing Premium Foundation Data Import

Premium Foundation Data Import provides one (1) import feed of Foundation Data from one (1) HRIS system to BrassRing, which allows Client's foundation data to be loaded into BrassRing.

Foundation data is data that is present on the BrassRing system on a Requisition form or a Candidate form as a custom drop-down options list. Foundation data is sometimes referred to as form fields, and often appears in the form of tables in a Client's HRIS system.

This integration requires:

- This integration must include the mandatory fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- The specific data fields integrated shall be from the set of mandatory and other fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- Client to provide integration data files in IBM provided XML or delimited txt format
- The feeds will be sent to IBM via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads
- IBM will build a custom process to consume Client data files and process them via IBM APIs
- The integration will map up to 10 fields.

3.2.28 IBM Kenexa BrassRing Premium User Data (Recruiter/Manager) Import

Premium User Data (Recruiter/HM) Import provides one (1) import feed of User (Recruiter/HM) Data from one (1) HRIS system to BrassRing, which allows Client's user data to be loaded into BrassRing.

Users in BrassRing are primarily the Recruiters and Hiring Managers of the application. These are the individuals that log onto BrassRing and manage/move the candidates through the recruitment process.

This integration requires:

- This integration must include the mandatory fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- The specific data fields integrated shall be from the set of mandatory and other fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- Client to provide integration data files in IBM provided XML or delimited txt format
- The feeds will be sent to IBM via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads
- IBM will build a custom process to consume Client data files and process them via IBM APIs

3.2.29 IBM Kenexa BrassRing Premium Job Code Default Data Import

Premium Job Code Default Data Import provides one (1) import feed of Job Code Default Data from one (1) HRIS system to BrassRing, which allows Client's Job Code Default data to be loaded into BrassRing.

Job Code Default Data (JCDD) functionality allows Client to associate a set of default values to a Job Code. This is especially useful when Requisitions (jobs) are created in the system where a Recruiter/Hiring Manager chooses a Job code and all pre-determined fields in the Requisition get auto-populated based on the code selected.

The following conditions apply:

- This integration must include the mandatory fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- The specific data fields integrated shall be from the set of mandatory and other fields outlined in the document “IBM Common Integration Fields” in the section “Customer HRIS to BrassRing”.
- Client to provide integration data files in IBM provided XML or delimited txt format
- The feeds will be sent to IBM via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads
- IBM will build a custom process to consume Client data files and process them via IBM APIs
- The integration will map up to 25 fields on 1 Requisition Template.

3.2.30 IBM Kenexa BrassRing Premium Requisition Field Associate Data Import

Premium Requisition Field Association Data Import provides one (1) import feed of Requisition Field Association Data from one (1) HRIS system to BrassRing which allows Client's Requisition Field Association data to be loaded into BrassRing.

Requisition Field association allows the selection of an option in a parent field to determine the options that are available in one or more subsequent child fields on a requisition form.

This integration requires:

- Client to provide integration data files in IBM provided XML or delimited txt format
- The feeds will be sent to IBM via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads
- IBM will build a custom process to consume Client data files and process them via IBM APIs
- The integration will map up to 3 parents with 10 children per parent.

3.2.31 IBM Kenexa BrassRing Premium New Hire Candidate Export

Premium New Hire Candidate Data Export provides one (1) export feed of New Hire Candidate Data from BrassRing to one(1) HRIS System, which allows Candidate data that applies to a candidate such as name, address, etc. and any information that resides on a candidate form in the BrassRing system to be exported to Client's HRIS system.

This integration requires:

- This integration must include the mandatory fields outlined in the document "IBM Common Integration Fields" in the section "BrassRing system to HRIS"
- The specific data fields integrated shall be from the set of mandatory and other fields outlined in the document "IBM Common Integration Fields" in the section "BrassRing system to HRIS".
- Client to provide integration data files in IBM provided delimited txt format
- The feeds will be sent to Client via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads
- The integration will map up to 50 fields.

3.2.32 IBM Kenexa BrassRing Premium Requisition Import

Premium Requisition Import provides one (1) import feed of Requisition Data from one (1) HRIS system to BrassRing, which allows Requisition data to be imported into BrassRing from an external system. Requisition data is any information that is in a Job Requisition such as the Job description, Job number, Department.

This integration requires:

- This integration must include the mandatory fields outlined in the document "IBM Common Integration Fields" in the section "Customer HRIS to BrassRing".
- The specific data fields integrated shall be from the set of mandatory and other fields outlined in the document "IBM Common Integration Fields" in the section "Customer HRIS to BrassRing".
- Client to provide integration data files in IBM provided XML or delimited txt format
- The feeds will be sent to IBM via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads
- IBM will build a custom process to consume Client data files and process them via IBM APIs
- The integration will map up to 50 fields on 1 Requisition Template.

3.2.33 IBM Kenexa BrassRing Premium Candidate Import

Premium Candidate Import provides one (1) import feed of Candidate Data from one (1) HRIS system to BrassRing, which allows Candidate data to be imported into BrassRing from an external system.

Candidate information is any data that applies to a candidate, such as name, address, previous employers, education, skills, or status that is maintained in a Client's HRIS or on a BrassRing candidate form.

This integration requires:

- Client to provide integration data files in IBM provided XML or delimited txt format
- The feeds will be sent to IBM via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided; there is no support for full, destructive loads
- IBM will build a custom process to consume Client data files and process them via IBM APIs
- The integration will map up 50 fields.

3.2.34 IBM Kenexa BrassRing Premium Rehire Eligibility Check

Premium Rehire Eligibility Check provides one (1) export feed of Candidate Data from BrassRing to one (1) HRIS system, which allows Candidate data that applies to a candidate such as name, address, etc. and any information that resides on a candidate form in the BrassRing system to be exported to Client's HRIS system.

This integration requires:

- Client to provide integration data files in IBM provided delimited txt format
- The feeds will be sent to Client via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads

Premium Rehire Eligibility Check also provides one (1) import feed of Form data for results from one (1) HRIS system to BrassRing, which allows Candidate form data to be imported into BrassRing from an external system.

This integration requires:

- Client to provide integration data files in IBM provided XML or delimited txt format
- The feeds will be sent to IBM via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads
- IBM will build a custom process to consume Client data files and process them via IBM APIs
- The results will be captured on a BrassRing Candidate form.

3.2.35 IBM Kenexa BrassRing Premium Talent Gateway Employee Profile Import

Premium Talent Gateway Employee Profile Import provides one (1) import feed of Employee Profile Data from one (1) HRIS system to BrassRing, which pre-populate employee information on BrassRing Internal and/or Referral Talent Gateways.

This integration requires:

- Client to provide integration data files in IBM provided XML or delimited txt format
- The feeds will be sent to IBM via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads
- IBM will build a custom process to consume Client data files and process them via IBM APIs

3.2.36 IBM Kenexa BrassRing Premium Background Check/Assessment Vendor Custom Integration

Premium Background Check/Assessment Vendor Custom Integration provides one (1) export feed of Candidate Data from BrassRing to one (1) Vendor system, which allows Candidate data that applies to a candidate such as name, address, etc. and any information that resides on a candidate form in the BrassRing system to vendor system.

This integration requires:

- Client to provide integration data files in IBM provided delimited txt format
- The feeds will be sent to Client via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads

Premium Background Check/Assessment Vendor Custom Integration also provides one (1) import feed of Form data for results from one (1) Vendor system to BrassRing, which allows Candidate form data to be imported into BrassRing from a vendor system.

This integration requires:

- Client to provide integration data files in IBM provided XML or delimited txt format
- The feeds will be sent to IBM via a FTP/SFTP process.
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- Incremental data must be provided, there is no support for full, destructive loads
- IBM will build a custom process to consume Client data files and process them via IBM APIs
- The results will be captured on a BrassRing Candidate form.

3.2.37 IBM Kenexa BrassRing Premium BrassRing and Workday Integration

Premium BrassRing and Workday Integration provides the following five integrations, which integrate data between Workday system and BrassRing.

One (1) import feed of Foundation Data from one (1) Workday system to BrassRing

One (1) import feed of User (Recruiter/HM) from one (1) Workday system to BrassRing

One (1) import feed of Job Code Default Data from one (1) Workday System to BrassRing

One (1) import feed of Requisition Field Association Data from one (1) Workday System to BrassRing

This integration requires:

- This integration will utilize XML, the Workday Public Web Services API and the BrassRing Data Mapping Tool.
- The specific data fields integrated shall be from the "IBM Kenexa Workday_Data Mapping" document.
- The specific web service operations integrated shall be from the "IBM Kenexa Workday_Data Mapping" document.
- The integration will provide data changes/modifications wherever supported by the Workday API. Full loads will be used where Workday API does not support identifying data changes/modifications.
- The integration will provide One (1) initial full load for staging and One (1) initial full load for production.
- Only items provided in the "Workday Integration Specification" and "IBM Kenexa Workday_Data Mapping" document are in scope. Items outside of this or not mentioned must be scoped separately.
- Client is responsible for items listed in Section 5 of "Workday Integration Specification".
- Integration is batched for daily processing.

One (1) export feed of New Hire Candidate Data from BrassRing to one (1) HRIS System

- This integration will utilize XML, the Workday Public Web Services API and the BrassRing Data Mapping Tool.

- The specific data fields integrated shall be from the “Kenexa Workday_Data Mapping” document.
- The specific web service operations integrated shall be from the “Kenexa Workday_Data Mapping” document.
- Integration is real-time.
- Only items provided in the "Workday Integration Specification" and “Kenexa Workday_Data Mapping” document are in scope. Items outside of this or not mentioned must be scoped separately.
- Client is responsible for items listed in Section 5 of "Workday Integration Specification".

3.2.38 IBM Kenexa BrassRing SAML 2.0 Single Sign On

SAML 2.0 Single Sign On provides the ability for users and employees to Single Sign On using SAML 2.0 Single Sign On for User (Recruiter/Manager)

Single Sign On for Employees to One (1) Internal Talent Gateway

Single Sign On for Employees to One (1) Employee Referral Talent Gateway

This integration requires:

- Client must support SAML 2.0 on their SAML product.
- SSO certificate must be from a trusted authority.

3.2.39 IBM Kenexa BrassRing RSA Encrypted Payload Web Service Single Sign On

RSA Encrypted Payload Web Service Single Sign On provides the ability for users and employees to Single Sign On using RSA Encrypted payload web service.

Single Sign On for User (Recruiter/Manager)

Single Sign On for Employees to One (1) Internal Talent Gateway

Single Sign On for Employees to One (1) Employee Referral Talent Gateway

This integration requires:

- Encryption on the SSO request is performed using RSA algorithm
- The integration must utilize XML
- The must use IBM provided Webservice

3.2.40 IBM Kenexa BrassRing Export Feed into Customer Data Warehouse

Export Feed into Customer Data Warehouse provides one (1) export feed of BrassRing Data to Customer Data Warehouse.

BrassRing data-warehousing files are an extract of most of the information collected within BrassRing to a BrassRing customer for additional reporting, data analysis and data-warehousing purpose.

This integration requires:

- The integration must utilize delimited flat file as outlined in the IBM technical specification document.
- The feeds will be sent to the Client via a FTP/SFTP process
- The FTP/SFTP process will use username and password authentication. PGP encryption can be supported to add additional encryption of the files.
- The integration will have a single “full load” after which each daily integration will provide data changes/modifications only,

3.2.41 IBM Kenexa BrassRing Data Migration

Data Migration provides one (1) standard data migration from one (1) Source system to BrassRing.

Data migration is the process of migrating information from an external source into BrassRing.

This integration requires:

- IBM will provide a standard format for Client’s data submission using IBM defined standard tools and processes and will upload Client’s migrated data into BrassRing in accordance with the project plan.

- IBM is responsible for the mapping of their data to that tool, populating their data into that tool and for providing Kenexa with a copy of the data schema or data map for the system from which data is being migrated
- The data to be migrated:
 - (1) Open job records/requisitions
 - (2) Candidate records associated with open job records. Candidate records include text Resumes.
 - (3) Record volumes are not to exceed 25,000 candidate records and 5,000 requisitions.
 - (4) Other enclosures (ancillary documents associated with User Candidate Files e.g. reference certificates, background check results) subject to format, file, and size limitations defined by IBM can be migrated as non-searchable, non-reportable attachments to candidate records if stored in one of the following approved formats: xls, gif, jpg, tif, bmp, htm, html, txt, doc, xml, csv, rtf, pdf, ppt, docx, pptx, xlsx

3.2.42 IBM Kenexa BrassRing Deactivation – Export of Candidate Text Resumes

Deactivation – Export of Candidate Text Resumes provides one (1) export of Candidate text resumes from BrassRing.

This integration requires:

- Text Resumes can be delivered via SFTP process. The SFTP process will use username and password authentication.
- Filename Format: “1294781.txt” filename is the ResumeKey number.

3.2.43 IBM Kenexa BrassRing Deactivation – Access Database Export

Deactivation – Access Database Export provides one (1) export of BrassRing data in an Access Database.

This integration requires:

- The data export will be in an access database structure and format provided by IBM. IBM will provide an entity relationship diagram for the access database.
- The export will be sent to the Client via SFTP process. The SFTP process will use username and password authentication.

3.2.44 IBM Kenexa BrassRing Hiring Manager Simulation Training Package

Hiring Manager Simulation Training Package provides 7 simulations with audio selected from a predefined list and customized to Client’s process. Simulations are provided to Client for hosting on their intranet or their LMS.

3.2.45 IBM Kenexa BrassRing Recruiter Simulation Training Package

Recruiter Simulation Training Package provides 10 simulations with audio selected from a predefined list and customized to Client’s process. Simulations are provided to Client for hosting on their intranet or their LMS.

3.2.46 IBM Kenexa BrassRing Custom Simulation

Custom Simulation covers 1 topic with screen shots and audio. Topic selected from a predefined list and customized to Client’s process. Run time is up to 8 minutes. Simulations are provided to Client for hosting on their intranet or LMS.

3.2.47 IBM Kenexa BrassRing Administrator Tools for Super Users Instructor-led Webinar

Administrator Tools for Super Users Instructor-led Webinar provides an online course conducted over one 3-hour webinar for up to 20 participants. Manual provided in PDF format.

3.2.48 IBM Kenexa BrassRing Custom 2-hour Instructor-led Webinar

Custom 2-hour Instructor-led Webinar provides a webinar for up to 20 participants. The course is recommended for Hiring Manager or Recruiter Users and follows a predetermined agenda.

3.2.49 IBM Kenexa BrassRing New Users Fundamentals Instructor-led Webinar

New Users Fundamentals Instructor-led Webinar provides an editable (Word) version of the IBM Kenexa BrassRing New User Fundamentals Training Manual and license to reproduce.

3.3 IBM Kenexa BrassRing Offerings Integrated with Third Party Suppliers

The following IBM SaaS offerings under this ToU provide the ability to integrate with third party suppliers for certain services. If Client has subscribed to any of these IBM SaaS offerings, Client is solely responsible for obtaining the services of such third party vendors and for any associated license, subscription, or other necessary rights and applicable fees with those suppliers, as applicable:

3.3.1 IBM Kenexa BrassRing Background Check

Provides common service integrations with background check vendor partners that permit Client to make a request for a check or screen directly through BrassRing. Based on results of a background check, BrassRing can update the background check activity in the workflow and initiate/trigger the next step in the workflow. Information obtained during background checks can be passed back to the system for storage in the candidate's Talent Record.

3.3.2 IBM Kenexa BrassRing SMS Messaging

Setup of text messaging for BrassRing between IBM's SMPP server vendor and Client's SMS telecom vendor.

3.3.3 IBM Kenexa BrassRing Job Posting Aggregator

Provides pre-built integrations to various third party job distribution partners from IBM Kenexa BrassRing.

3.3.4 IBM Kenexa BrassRing Video Interviewing

Provides integration between IBM Kenexa BrassRing and various providers that provide virtual interview services.

3.3.5 IBM Kenexa BrassRing Work Opportunity Tax Credit

- The Work Opportunity Tax Credit (WOTC) feature has integrations to various suppliers providing hiring incentive services. Integration with these WOTC service providers allows Client to be aware of the various Federal and State government WOTC hiring stimulation incentive programs.

3.4 IBM Kenexa Client Success Services

3.4.1 IBM Kenexa Client Success Priority Ticket Routing

This service offering allows Client to name up to five individuals with the authority to open support tickets. The tickets will directly route to IBM Level 2 support for resolution.

3.4.2 IBM Kenexa Client Success Global Support Center Named Resource

This service offering allows Client to interact with a single Global Support Center agent for all support tickets that are not resolved on the first call or to contact such agent for tickets related to code fix and items not related to configuration issues. The agent manages issue resolution and provides updates to Client until issue resolution and ticket is closed.

3.4.3 IBM Kenexa Client Success Global Support Center and Project Work

This service offering provides up to ten hours per month of support for requested projects to assist with product administration, implementation or configuration support for Client's IBM Kenexa Talent Acquisition systems or to stay current on IBM Kenexa Talent Acquisition feature enhancements. Upon request for project support by Client's authorized administrator, the IBM Global Support Center will conduct a scoping call with Client to discuss the project and provide a project scope summary, with estimated hours and project schedule. If the estimated hours exceeds the remaining monthly hours, Client may either acquire additional hours or extend they project schedule into the following month.

Upon approval by the authorized administrator of the scope summary, IBM will begin project work. Unused monthly hours expire and do not carry over to next month.

3.4.4 IBM Kenexa Client Success Manager Dedicated

This service offering provides Client a dedicated Client Success Manager resource for the selected number of hours per month as specified in Client's PoE. Based upon the selected resource hours option, the Client Success Manager will work with and support Client for the number of hours each month with the overall goal of understanding Client's business and use of Kenexa Talent Acquisition IBM SaaS, monitor Client usage and feature adoption, and provide proactive technical and business recommendations to assist Client in effectively leveraging the IBM SaaS to support Client's business.

The Client Success Manager will conduct weekly calls and periodic business review meetings with Client and appropriate key stakeholders, be the escalation and focal point for any critical or unresolved support

issues, and provide education and business learning and sharing opportunities through online or in-person Smarter Workforce events, advisory boards, or other events.

Appendix B

IBM provides this Service Level Agreement (SLA) to its Clients subject to the following terms. The version of this SLA that is current at the commencement or renewal of the Subscription Period will apply. The SLA is not a warranty.

1. General SLA Terms

1.1 Definitions

Contracted Month – each full calendar month during the Subscription Period of the IBM SaaS measured from 12:00 a.m. Eastern US time on the first day of the month through 11:59 p.m. Eastern US time on the last day of the month.

Qualified Claim — a claim validated by IBM of a missed service level not due to any of the exclusions as set forth below.

Service Credit — an amount equal to the applicable credit as described below for a missed service level.

SLA Claim — a claim submitted by Client of a missed service level as described in this section.

1.2 Services Credit Process

For any missed SLA, Client agrees to the following process:

- a. Client may claim one Service Credit per calendar month.
- b. For any event that impacts more than one SLA, Client may only submit one SLA Claim caused by such one event.
- c. Client agrees to pay all invoices in full when any SLA Claim is being reviewed or Service Credit is being determined.
- d. To submit a SLA Claim, Client must log a Severity 1 support ticket (as defined in the Technical Support section) for each event with the IBM technical support help desk within 24 hours of first becoming aware that the event has impacted use of the IBM SaaS. Client must provide all necessary information about the event and reasonably assist IBM with the diagnosis and resolution.
- e. A SLA Claim for a Service Credit must be submitted no later than three business days after the end of the Contracted Month which the SLA Claim arose.
- f. IBM will use its reasonable judgment to validate SLA Claims based on information available in IBM's records, which will prevail in the event of a conflict with data in Client's records.

1.3 Settlement of Service Credits

If a Service Credit is due, IBM will issue a subsequent invoice with the applicable Service Credit. If charges for the IBM SaaS, that are subject of an SLA Claim, during a month in which a Service Credit was eligible has not been incurred, or for any other reason has been credited or waived, Client shall not be eligible for a Service Credit for that month. Should a Service Credit be earned in the final month of the IBM SaaS subscription which was acquired from IBM, IBM will apply the credit against outstanding amounts due IBM under the Agreement, and if no amounts are due, IBM will refund the credit amount to Client.

If Client purchased the IBM SaaS from a valid IBM reseller in a remarketing transaction where IBM maintains primary responsibility for fulfilling the IBM SaaS and SLA commitments, the Service Credit will be based on the then-current Relationship Suggested Value Price (RSVP) for the IBM SaaS in effect for the Contracted Month which is the subject of a Claim, discounted at a rate of 50%.

1.4 Exclusivity of Remedies

SERVICE CREDITS ARE CLIENT'S SOLE AND EXCLUSIVE REMEDY FOR FAILURE TO MEET A SERVICE LEVEL.

The following will be excluded from the calculation of a Qualified Claim:

- a. a scheduled or announced maintenance outage or Client requested maintenance;
- b. Events or causes beyond IBM's control (e.g., natural disaster, internet outages, emergency maintenance, etc.);

- c. problems with Content, equipment, or applications Client uses with the IBM SaaS or any third party software, hardware or other technology;
- d. Client's failure to adhere to required system configurations and supported platforms or Client system administration, commands, or programming errors
- e. problems with Client's access to the Internet from Client's location;
- f. Client caused security breach or any security testing performed by Client

This SLA does not apply to the following:

- Beta and trial IBM SaaS offerings.
- Non-production environments, including but not limited to test, staging, disaster recovery, or QA.
- Claims made by an IBM Client's users, guests, participants and permitted invitees of the IBM SaaS.
- If Client has breached any material obligations for the IBM SaaS offering.

2. Availability Service Level

If IBM fails to provide an Availability service level in a Contracted Month of greater than 99.2% IBM will provide the Service Credit as describe in this section.

2.1 Definitions

Availability Percentage – the amount, expressed as a percentage, equal to the total number of minutes in a Contracted Month minus the Qualifying Outage Minutes, divided by the total number of minutes for that month.

Claimed Outage – the period (measured in minutes) during which Client claims a Service Loss as substantiated by a logged support ticket for each event with the IBM customer support help desk for the applicable IBM SaaS service, in accordance with IBM procedure for reporting Severity 1 support issues.

Qualifying Outage Minutes – the aggregate of all Verified Outage minutes in a Contracted Month, minus any Claimed Outage minutes in that month resulting from any exclusion as set forth in section 1.4 above.

Services Loss – Client's inability to connect to and use the IBM SaaS.

Verified Outage – a Claimed Outage that has been verified by IBM using IBM monitoring logs of the IBM SaaS service. A Verified Outage begins at the first Claimed Outage from Client as verified by IBM's monitoring logs as a Verified Outage and ends when the IBM monitoring log shows the IBM SaaS services restored.

Availability Percentage (during a Contracted Month)	Service Credit (% of Monthly Service Invoice for Contracted Month which is the subject of a Qualified Claim)
98.0% - 99.2%	5%
97%-97.999%	7.50%
96%-96.999%	10.00%
95%-95.999%	12.50%
94%-94.999%	15.00%
93%-93.999%	17.50%
Less than 93%	20%

Client may terminate the IBM SaaS if the Availability Percentage falls below 95% for five months out of a six month period and obtain a credit for any pre-paid fees for which services have not yet been rendered.

3. Response Time Service Level

IBM will use commercially reasonable efforts to achieve a Response Time service level of less than 4 seconds for 95% of the Requests submitted in the IBM SaaS service in each Contracted Month. IBM will provide a Service Credit as described in this section for failure to meet this SLA.

3.1 Definitions

Monthly Performance - will be the host latency performance for slowest 5% of measured transactions for a Contracted Month as available from the automated latency report.

Request – a request for information inquiry, including search but excluding reports, submitted within the IBM SaaS service.

Response Time – the time that elapses from the moment an inquiry is fully received at IBM application servers until the result is available for routing to the user from the IBM SaaS cloud service environment.

3.2 Service Credit

IBM will promptly investigate any SLA Claim submitted by Client and determine if it is a Qualified Claim such that the slowest 5% of measured transactions for the Contracted Month are 4 seconds or greater as specified in an automated host latency report generated by the IBM SaaS service.

For a Qualified Claim, IBM will have 30 days to remedy the Response Time to meet the SLA. If IBM fails to remedy the Response Time, Client's sole remedy is to receive a Service Credit for any Contracted Month thereafter based upon the reported Monthly Performance Range as follows.

Monthly Performance Range (seconds)	Service Credit (% of Monthly Service Invoice for Contracted Month which is the subject of a SLA Claim)
Less than 4	Meets SLA, no credit
4-5.999	5%
6-7.999	10%
8-8.999	15%
9-10.999	20%
11-12.999	25%
Greater than 13	50%

Client may terminate the IBM SaaS service if the Monthly Performance Range is greater than 11 seconds for five months out of a six month period and obtain a credit for any pre-paid fees for which IBM SaaS services have not yet been rendered.